

Add or Remove Block Styles or Text Styles from Listed Menus

1. Go To Admin

| | Create Save | | | | | | | |
|----------------|---|---|---|--|--|--|--|--|
| | Q Themes > Company Themes.ReFlex. Company | | | | | | | |
| | Dashboard System Information System Information Global Parameters Account Configuration Tags and Filters Tags Security Range Filters Company Themes.ReFlex. Company ReFlex Snippets Account Schemas Blocks | Actions General Page Layouts CSS Classes | /ClientCSS/tCompany p/Themes.ReFlex. Company /site.css /ClientCSS/NWS/Themes.ReFlex.Core/landing.css | | | | | |
| 2. 3. 4. | Go to Themes Select the correct theme. Usually this is CompanyName/Themes.ReFlex.CompanyName Go to CSS Classes | | | | | | | |

5. For Text Styles: Open Classes Available for Use in Freeform Editor

| Available Values | ſ | Selected Values |
|----------------------|---|-----------------|
| - Find | | Circles |
| τ | | ClockIcon |
| Accessible_Accordion | | DownloadLink |
| accordionArea | Z | EmailIcon |
| active | | FacebookIcon |



6. For Block Styles: Open Classes Available for Blocks in Block Attribute Dialog

| General | - Available Values | Selected Val | ues |
|--|--|--|---|
| Page Layouts | Find | Nextdoorico | n |
| CSS Classes | | RoundedBor | derImage |
| | datepicker-button | StatNumber | |
| | dateRow | Z SuperHeadin | g |
| | datetimerecur | TwitterIcon | |
| | dblarrow | Youtubelcon | |
| | default | | |
| | department | | |
| | Classes Available for Blocks in Block Attribu | tes Dialog | |
| | Available Values | Selected Val | ues |
| | Find | T ApplyCol | |
| | | DataTable | |
| | Accessible_Accordion | → FeatureImag | e |
| | Accordion | FeatureOver | layDark70 |
| | accordionArea | FeatureText | |
| | accordionContent | | |
| it "Click to Load | " under Available Values. | FeatureVideo | , |
| Actions | " under Available Values. | FeatureVideo | , |
| it "Click to Load Actions General | " under Available Values. | res.ReFlex.DurhamCo/site.css | , |
| Actions General Page Layouts | " under Available Values. ✓ /ClientCSS/DurhamCo/Then Classes Available for U | reatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor | |
| it "Click to Load Actions General Page Layouts CSS Classes | ✓ /ClientCSS/DurhamCo/Then Classes Available for U Available Values | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor | d Values |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. /ClientCSS/DurhamCo/Them Classes Available for U Available Values Find | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor Selecter Circles | d Values |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. /ClientCSS/DurhamCo/Then Classes Available for U Available Values Find | reatureVideo reatu | d Values |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. /ClientCSS/DurhamCo/Then Classes Available for U Available Values Find | res.ReFlex.DurhamCo/site.css Jse in Freeform Editor Circles Clocklcd | d Values |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. " (ClientCSS/DurhamCo/Then Classes Available for U Available Values Find Click to Load | res.ReFlex.DurhamCo/site.css Jse in Freeform Editor | on vadLink |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor Circles Clocklcu Downlo | d Values on vadLink on |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. | FeatureVideo FeatureVideo FeatureVideo FeatureVideo FeatureVideo Selected Circles Clocklo Downlo Emaillo Facebo | d Values |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. " under Available Values. ✓ /ClientCS5/DurhamCo/Then Classes Available for U Available Values Find Click to Load | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor Circles Clocklod Downlod Emaillod Facebo | d Values on vadLink on oklcon |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. " under Available Values. ✓ /ClientCS5/DurhamCo/Then Classes Available for U Available Values Find Click to Load | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor Circles Clocklo Downlo Emaillo Facebo Faxlcor | d Values on vadLink on oklcon |
| it "Click to Load Actions General Page Layouts CSS Classes | " under Available Values. " under Available Values. ✓ /ClientCS5/DurhamCo/Then Classes Available for U Available Values Find Click to Load | FeatureVideo nes.ReFlex.DurhamCo/site.css Jse in Freeform Editor | d Values on vadLink on oklcon |

- 8. Search or scroll to the value you want to add.
- 9. Move the value over to the Selected Values column with the right arrow button.



10. If it is not displaying, you may type it in the search bar and hit the plus icon that will appear when there are no matching options.

Classes Available for Blocks in Block Attributes Dialog

| Available Values | 1 | Selected Values |
|----------------------|---|--|
| - Find | | StripeWideSimpleCardBlueNoTopPadding |
| InteriorFAQ O | | StripeWideSimpleCardNoTopPadding |
| | | StripeWideSimpleCardPurple |
| | え | StripeWideSimpleCardPurpleNoTopPadding |
| | | TabletFullWidth |
| | | VerticalCenter |
| | | |
| | | |

- 11. When you hit the plus icon, the value will be added to the bottom of the Selected Values list.
- 12. If you are removing a value, select it from the Selected Values list and move over using the left facing arrow button.
- 13. Hit Save.
- 14. When you go back to the Content area of the Workstation, the new value will show up in the Block Settings menu or Text Styles menu in a freeform block.





| Block Settings | Cancel Done |
|--|------------------------------|
| Block Styles Available Values Find | Selected Values |
| FlexCardPurple FullHeight IconBorder | FeatureImage FeatureVideo |
| InteriorFAQ RightBorder SplitImage SplitText | * |