

## **URL Aliases**

## **Adding an Alias**

URL aliases are a way to make multiple URLs direct to the same page. To add a URL alias to an individual page:

- 1. Select the page you want the redirect to go to.
- 2. Click the Properties tab and browse to the URL Aliases field.

==	Create	Publish   Preview	Results	<b>C</b> ontent	<b>پچ</b> Properties	<b>B</b> More	
- Q	NWS Training > R	edirect page					
<ul><li></li></ul>	ashboard WS Training	General Properties					
	About Us	Page Name					
	Members	Redirect page					13 characters
	Old page						15 characters
	Redirect page	Page URL /NWS-Training/Redirect-page	<b>`</b>				
▶ 🗋	Who We Are	intro maining/real eet page					
9	Profile	URL Aliases					
5	Register	<ul> <li>(Note: takes effect immedia /NWS-Training/new-alias</li> </ul>	tely on save)			000	
5	Login						
\$	Logout						
. 🕞	0001						

- 3. Type in your Alias and hit the + sign
- 4. Publish.
- 5. If you change the URL of a page in the Page URL field, upon publishing the prior URL will be automatically added as a URL Alias.
- 6. If you enter a URL that is already in use, the workstation will give you an error, telling you the page path of the page currently using that URL.



/NWS-Training/old-page-h	idden	00	00

## Redirecting a 404 error message using URL aliases

There's two reasons why a user might get a 404 error message.

1: The page doesn't exist in the workstation

If this is the case, add the URL that gave an error as an alias in the URL Alias field of the page you would like it to redirect to, as outlined above.

2: The page exists in the workstation, but is hidden.

If this is the case, the title of the page in the workstation will be greyed out and italicized.

In this case, if you put the URL of the hidden page in as a URL Alias, you would get an error, as that URL is still technically being used by a page in the workstation.

old-page-hidden		0	0 0	
	old-page-hidden	old-page-hidden	old-page-hidden	old-page-hidden



You can delete the hidden page and then use that URL, but if you would like to unhide that page at some point, it can be helpful to redirect its URL temporarily.

Go to properties tab on the hidden page, and change the URL – ideally to something indicating it's inactive. Publish, and go back into the properties tab of the page.

	reate Publish <b>v</b> Preview	Results Content	Properties More	€? 🕩
▼ Q	Training > Old page			
<ul> <li>Dashboard</li> <li>NWS Training</li> <li>About Us</li> <li>Members</li> <li>Old page</li> <li>Redirect p.</li> </ul>	General Properties Page Name Old page Page URL /NWS-Training/Old-page-hi	dden		8 characters
▶ ☐ Who We A 𝔥 Profile 𝔥 Register 𝔥 Login 𝔅 Logout 𝔅 Logout	URL Aliases (Note: takes effect immed /NWS-Training/Old-page /NWS-Training/Old-page	iately on save) —————	C O D	
Files     Files     People     Recycle Bin	Start Date	8		

The old URL will automatically be under URL Aliases. Select that URL, and hit the minus button. Publish.

Go to the page you would like to redirect to, and you can now add that initial URL with no errors.



## Add URL Aliases in bulk using Excel

If you need to change numerous URLs at once, you can easily do so using Data Import/Export.

1. First, go to the source of the pages you want to edit. Select "Include Children" or filter the results using the filter bar if necessary.



2. Once all relevant items are selected, export the current data by clicking on the download results arrow in the upper right-hand corner.

	Create	Publish 🔽	Preview	Results	<b>C</b> ontent	Properties	More	С	?	(
<del>-</del> Q	TitanCMS Demo	> Multiple Selection	S							
<ul> <li>20</li> <li>2</li></ul>	ashboard eFlex Demo	Filter Results	T	Include	Children		Select a View Content Default			~
▼ ③ Ti	tanCMS Demo Coffee	Actions 🔻	All results selected				Showing 9 of 9	1		<b>!</b>



3. This will download all the data in an XLS format. Save this file to your computer and then open it in Excel.

	File <u>Ho</u>	me Insert Drav	w Page Layout Formulas Da	ata Review View	Automate Help		Commen	nts 🖻 Share 🗸
	Paste	Calibri ■ I U ⊞ v Ø v	$\begin{array}{c c} \hline & & \\ \hline \\ \hline$	Conditional Formational Formation as Table V	atting * Cells	Editing Sensitivity	Add-ins Analy. Data	ze a
-	Clipboard	Font	1 <sup>2</sup>	Styles		Sensitivity	Add-Ins	· ·
A	1	$\checkmark$ : $\times \checkmark f_x$	IsFolder					~
	Α	В	С	D	E	F	G	н і 🔺
1	IsFolder	Page Name	Page URL	Workstation Name	Long Description	Short Description	Metatag Keyw	vords
2	0	TitanCMS Demo	/TitanCMS-Demo	TitanCMS Demo			TitanCMS Dem	10
3	0	Coffee	/TitanCMS-Demo/Coffee	Coffee			Coffee	
4	0	Menu	/TitanCMS-Demo/MenuCopy-1	Menu[Copy 1]			Food	
5	0	Events	/TitanCMS-Demo/EventsCopy-1	Events[Copy 1]			Events	
6	0	About Us	/TitanCMS-Demo/About-Us	About Us			Our Story	
7	0	Blog	/TitanCMS-Demo/Blog	Blog		Get inside out baris	ta Blog	
8	0	Contact Us	/TitanCMS-Demo/Contact-Us	Contact Us			Contact Us	
9	0	Utility	/ReFlex-Demo/Utility	Utility			Utility	
10	0	OffNav	/TitanCMS-Demo/OffNav	OffNav			OffNav	
11								
12								
12								

- 4. DO NOT change the column header names or text formatting. Add a new column called "New URL" (case sensitive).
- 5. You can, if desired, delete entire columns that you are not updating. As long as the full column is deleted i.e. there is not just a header and then empty cell contents below the header this will not affect the workstation items.
- 6. Enter the new URL path for all necessary pages. Leave that column blank for pages that do not need changing. Save.
- DO NOT change information in any column other than New URL. Because the workstations makes changes based on the page URL, which you are changing, only this one column can be updated. This is not the case for <u>other uses of the import/export feature</u>.
- 8. Upload the saved sheet using the upload results button.

	Create	Publish   Previe	ew	Results	Content	Properties	More	ວ	?	۲
- Q	IitanCMS Demo	> Multiple Selections								
<ul><li>22 D</li><li>C</li><li>R</li></ul>	ashboard eFlex Demo	Filter Results	T	Include	e Children		Select a View Content Default			~
- 🔇 T - 🗋	itanCMS Demo Coffee	Actions  All result	ts selected				Showing 9 of 9	4		Ł



9. When you click this button, you will see a screen like the one below. Click the upload icon, or anywhere in the **Select Data Upload File** bar.

Upload	Content					Done
🕜 Instr	ructions					
Parent F TitanCMS	older 5 Demo					
– Select D	ata Upload File (	(.xlsx, .csv, .t	txt, .xml, .ics)			<b>1</b> .
IsFolder	Display Order	Sort Date	Page Name	Page URL	Page Title	Metatag Description
Results	s New Lookup	Attributes	Errors			0 records

10. We recommend you test your data before permanently uploading it to Titan CMS. You need to choose "Test Only" before you upload the data.



pload	Content		Clear	Upload
lnstr	uctions			
Parent F TitanCMS	<b>older</b> Demo			
– <b>Select D</b> a TitanRes	ata Upload File ( ults(19).xlsx	.xlsx, .csv, .txt, .xml, .ics) ———		1
IsFolder	Page Name	Page URL	Workstation Name	Long Descriptio
0	About Us	/TitanCMS-Demo/About-Us	About Us	
0	Blog	/TitanCMS-Demo/Blog	Blog	
0	Contact Us	/TitanCMS-Demo/Contact-Us	Contact Us	
0	OffNav	/TitanCMS-Demo/OffNav	OffNav	
Results	ad Options Only	Attributes Errors		8 record
🔿 Add	and Update All			
Ski	ip Workflow	Пн	lide Missing	
Co	mplete Workflow	v Immediately 🔽 T	est Only	
	blish Immodiato			

11. This will allow you to see how many records were tested, how many records succeeded, and how many failed.



mws-training-wkst.titanclient.com	
8 records were tested. 8 succeeded. 0 failed/cancelled.	
Click OK to review results	
	ок

12. Select "OK" to see which items were successfully uploaded and which ones failed.

Jpload Con	Clear Upload							
Instructio	ns							
Parent Folder TitanCMS Demo								
Select Data Upload File (.xlsx, .csv, .txt, .xml, .ics)         TitanResults(19).xlsx								
Upload Status	IsFolder	Page Name	Page URL	Workstation Name				
Success	0	OffNav	/TitanCMS-Demo/OffNav	OffNav				
Success	0	Contact Us	/TitanCMS-Demo/Contact-Us	Contact Us				
Success	0	Blog	/TitanCMS-Demo/Blog	Blog				
Success	0	About Us	/TitanCMS-Demo/About-Us	About Us				
Results	New Lookup	Attributes Erro	rs	8 records				

- 13. If everything looks good you can upload the data, but this time do not select "test only".
- 14. To make sure that the aliases get automatically recorded, use the "Add and Update All" selection with "Publish Immediately" selected. If you select "Skip Workflow," the URL field



will be updated, but the old URL will not automatically be added as an alias.

O Add Only	
Add and Update All	
Skip Workflow	Hide Missing
Complete Workflow Immediately	Test Only
Publish Immediately	

- 15. Hit Upload.
- 16. Once published, click in to any of the results. The old URL will be listed as an alias and the new one will be the URL.